Index to Volume 21

Authors and Titles

Adams, W.W. III *See* Demmig-Adams, B.

Alberico, G.J. *See* Cramer, G.R.

Alvino, A., Centritto, M., and De Lorenzi, F.
Photosynthesis response of sunlit and shade pepper (*Capsicum annuum*) leaves at different positions in the canopy under two water regimes 377

Amani, I. *See* Reynolds, M.P.

Amthor, J.S., Goulden, M.L., Munger, J.W., and Wofsy, S.C.
Testing a mechanistic model of forest-canopy mass and energy exchange using eddy correlation: carbon dioxide and ozone uptake by a mixed oak–maple stand 623

Anderson, J.M. *See* He, J.

Andrews, T.J. *See* Kane, H.J.

Armstrong, E.L., Pate, J.S., and Tennant, D.
The field pea crop in south Western Australia — patterns of water use and root growth in genotypes of contrasting morphology and growth habit 517

Armstrong, E.L., Pate, J.S., and Unkovich, M.J.
Nitrogen balance of field pea crops in south Western Australia, studied using the ^{15}N natural abundance technique 533

Aspinall, D. *See* Mapfumo, E.

Bachelard, E.P. *See* Gibson, A.

Badger, M.R. *See* Yu, J.-W.

Balota, M. *See* Reynolds, M.P.

Banisadr, R. *See* Keeling, P.L.; Singletary, G.W.

Barlow, E.W.R. *See* Blumenthal, C.; Wrigley, C.W.

Barone, L. *See* Keeling, P.L.

Basra, A.S. *See* Conroy, J.P.

Batey, I.L. *See* Blumenthal, C.

Batten, D.J., and Lahav, E.
Base temperatures for growth processes of lychee, a recurrently flushing tree, are similar but optima differ 589

Bisson, M.A. *See* Chau, R.

Blum, A., Sinmena, B., Mayer, J., Golan, G., and Shpiler, L.
Stem reserve mobilisation supports wheat-grain filling under heat stress 771

Blum, A. *See also* Nguyen, H.T.

Blumenthal, C., Wrigley, C.W., Batey, I.L., and Barlow, E.W.R.
The heat-shock response relevant to molecular and structural changes in wheat yield and quality 901

Blumenthal, C. *See also* Wrigley, C.W.

Blundell, C. *See* Evans, L.T.

Bray, E.A. *See* Ismail, A.M.

Brettell, R.I.S. *See* Chamberlain, D.A.; Chaudhury, A.M.

Brown, S.M., and Walsh, K.B.
Anatomy of the legume nodule cortex with respect to nodule permeability 49

Bryant, J.D. *See* Gambley, R.L.

Butler, J. *See* Correll, R.

Caemmerer, S. von *See* Evans, J.R.

Centritto, M. *See* Alvino, A.

Chamberlain, D.A., Brettell, R.I.S., Last, D.I., Witrzens, B., McElroy, D., Dolferus, R., and Dennis, E.S.
The use of the Emu promoter with antibiotic and herbicide resistance genes for the selection of transgenic wheat callus and rice plants 95

Chau, R., Bisson, M.A., Siegel, A., Elkin, E., Klim, P., and Straubinger, R.M.
Distribution of charasomes in *Chara:* re-establishment and loss in darkness and correlation with banding and inorganic carbon uptake 113

Chaudhury, A.M., Dennis, E.S., and Brettell, R.I.S.
Gene-expression following T-DNA transfer into plant cells is aphidicolin-sensitive 125

Chen, H. *See* Loschke, D.C.

Chilcott, T.C., and Coster, H.G.L.
AC impedance measurements on *Chara corallina*. III. Characterisation of the plasma membrane coat using a new presentation of impedance spectra 147

Chow, W.S. *See* He, J.; Watanabe, N.

Cliquet, J.-B. *See* Deléens, E.

Conroy, J.P., Seneweera, S., Basra, A.S., Rogers, G., and Nissen-Wooller, B.
Influence of rising atmospheric CO_2 concentrations and temperature on growth, yield and grain quality of cereal crops 741

Conroy, J. *See also* Seneweera, S.

Copeland, L. *See* de Lima, Maria L.

Correll, R., Butler, J., Spouncer, L., and Wrigley, C.
The relationship between grain-protein content of wheat and barley and temperatures during grain filling 869

Coster, H.G.L. *See* Chilcott, T.C.

Cramer, G.R., Alberico, G.J., and Schmidt, C.
Leaf expansion limits dry matter accumulation of salt-stressed maize 663
Salt tolerance is not associated with the sodium accumulation of two maize hybrids 675

Dash, S. *See* Harrington, H.M.

De Lorenzi, F. *See* Alvino, A.

Deléens, E., Cliquet, J.-B., and Prioul, J.-L.
Use of ^{13}C and ^{15}N plant label near natural abundance for monitoring carbon and nitrogen partitioning 133

Delgado, M.I.B. *See* Reynolds, M.P.

Demmig-Adams, B., and Adams, W.W. III
Capacity for energy dissipation in the pigment bed in leaves with different xanthophyll cycle pools 575

Dennis, E.S. *See* Chamberlain, D.A.; Chaudhury, A.M.

Denyer, K., Hylton, C.M., and Smith, A.M.
The effect of high temperature on starch synthesis and the activity of starch synthase 783

Denyer, K. *See also* Jenner, C.F.

Dharmasiri, N. *See* Harrington, H.M.

Dharmasiri, S. *See* Harrington, H.M.

Djordjevic, M.A. *See* Plazinski, J.

Dolferus, R. *See* Chamberlain, D.A.

Downton, W.J.S., and Grant, W.J.R.
Photosynthetic and growth responses of variegated ornamental species to elevated CO_2 273

Ehleringer, J.R. *See* Flanagan, L.B.

Elkin, E. *See* Chau, R.

Entsch, B. *See* Kane, H.J.

Evans, J.R., Caemmerer, S. von, Setchell, B.A., and Hudson, G.S.
The relationship between CO_2 transfer conductance and leaf anatomy in transgenic tobacco with a reduced content of Rubisco 475

Evans, J.R. *See also* Watanabe, N.

Evans, L.T., and Blundell, C.
Some aspects of photoperiodism in wheat and its wild relatives 551

Farquhar, G.D. *See* Flanagan, L.B.; Poorter, H.

Feller, U. *See* Fröhlich, V.

Fischer, A. *See* Fröhlich, V.

Fischer, R.A. *See* Reynolds, M.P.

Flanagan, L.B., Phillips, S.L., Ehleringer, J.R., Lloyd, J., and Farquhar, G.D.
Effects of changes in leaf water oxygen isotopic composition on discrimination against $C^{18}O^{16}O$ during photosynthetic gas exchange 221

Fröhlich, V., Fischer, A., Ochs, G., Wild, A., and Feller, U.
Proteolytic inactivation of glutamine synthetase in extracts from wheat leaves: effects of pH, inorganic ions and metabolites 303

Gabriel, D.W. *See* Loschke, D.C.

Gage, D.A. *See* Paquet, L.

Gambley, R.L., Bryant, J.D., Masel, N.P., and Smith, G.R.
Cytokinin-enhanced regeneration of plants from microprojectile bombarded sugarcane meristematic tissue 603

Gibson, A., Bachelard, E.P., and Hubick, K.T.
Growth strategies of *Eucalyptus camaldulensis* Dehnh. at three sites in northern Australia 653

Gifford, R.M.
Viewpoint: The global carbon cycle: a viewpoint on the missing sink 1

Golan, G. *See* Blum, A.

Goulden, M.L. *See* Amthor, J.S.

Grammatikopoulos, G., Karabourniotis, G., Kyparissis, A., Petropoulou, Y., and Manetas, Y.
Leaf hairs of olive (*Olea europaea*) prevent stomatal closure by ultraviolet-B radiation 293

Grant, W.J.R. *See* Downton, W.J.S.

Gras, P.W. *See* Wrigley, C.W.

Gutiérrez, M.V., and Meinzer, F.C.
Carbon isotope discrimination and photosynthetic gas exchange in coffee hedgerows during canopy development 207

Hall, A.E. *See* Ismail, A.M.

Hanson, A.D. *See* Paquet, L.

Harrington, H.M., Dash, S., Dharmasiri, N., and Dharmasiri, S.
Heat-shock proteins: a search for functions 843

Hatch, M.D. *See* Simon, J.-P.

Hawker, J.S. *See* Jenner, C.F.

He, J., Huang, L.-K., Chow, W.S., Whitecross, M.I., and Anderson, J.M.
Responses of rice and pea plants to hardening with low doses of ultraviolet-B radiation 563

Hendershot, K.L. *See* Nguyen, H.T.

Henriques, F.S. *See* Lidon, F.C.

Huang, L.-K. *See* He, J.

Huang, Z.-H. *See* Paquet, L.

Hubick, K.T. *See* Gibson, A.

Hudson, G.S. *See* Evans, J.R.

Hylton, C.M. *See* Denyer, K.

Ismail, A.M., Hall, A.E., and Bray, E.A.
Drought and pot size effects on transpiration efficiency and carbon isotope discrimination of cowpea accessions and hybrids 23

Jaenicke, L. *See* Naß, N.

Jenner, C.F.
Starch synthesis in the kernel of wheat under high temperature conditions 791

Jenner, C.F., Denyer, K., and Hawker, J.S.
Caution on the use of the generally accepted methanol precipitation technique for the assay of soluble starch synthase in crude extracts of plant tissues 17

Joshi, C.P. *See* Nguyen, H.T.

Kane, H.J., Viil, J., Entsch, B., Paul, K., Morell, M.K., and Andrews, T.J.
An improved method for measuring the CO_2/O_2 specificity of ribulosebiphosphate carboxylase-oxygenase 449

Karabourniotis, G. See Grammatikopoulos, G.

Kato-Noguchi, H., and Sumitomo, M.
Effect of UV radiation on endogenous inhibitors of growth in the hypocotyl of *Phaseolus vulgaris* 235

Keeling, P.L., Banisadr, R., Barone, L., Wasserman, B.P., and Singletary, G.W.
Effect of temperature on enzymes in the pathway of starch biosynthesis in developing wheat and maize grain 807

Keeling, P.L. *See also* Singletary, G.W.

Klim, P. *See* Chau, R.

Klueva, N. *See* Nguyen, H.T.

Kumar, S., Naidu, K.M., and Sehtiya, H.L.
Causes of growth reduction in elongating and expanding leaf tissue of sugarcane under saline conditions 79

Kyparissis, A. *See* Grammatikopoulos, G.

Lahav, E. *See* Batten, D.J.

Lang, A.R.G. *See* Sommer, K.J.

Last, D.I. *See* Chamberlain, D.A.

Lidon, F.C., and Henriques, F.S.
Subcellular localisation of copper and partial isolation of copper proteins in roots from rice plants exposed to excess copper 427

Lloyd, J. *See* Flanagan, L.B.

de Lima, Maria L., and Copeland, L.
Changes in the ultrastructure of the root tip of wheat following exposure to aluminum 85

Loschke, D.C., Tomaska, L.D., Chen, H., Gabriel, D.W., and Rolfe, B.G.
The plant toxin victorin binds to a discrete number of proteins in all organisms tested 243

Manetas, Y. *See* Grammatikopoulos, G.

Mapfumo, E., and Aspinall, D.
Anatomical changes of grapevine (*Vitis vinifera* L. cv. Shiraz) roots related to radial resistance to water movement 437

Masel, N.P. *See* Gambley, R.L.

Mayer, J. *See* Blum, A.

McElroy, D. See Chamberlain, D.A.

McIntyre, G.I.
The role of transpiration in phototropism of the *Avena* coleoptile: evidence of stomatal control of the phototropic response 359
Corrigendum 693

McKay, I.A. *See* Plazinski, J.

Meinzer, F.C. *See* Gutiérrez, M.V.

Milborrow, B.V. *See* Netting, A.G.; Willows, R.D.

Milham, P. *See* Seneweera, S.

Moka, R. *See* Naß, N.

Morell, M.K. *See* Kane, H.J.

Munger, J.W. *See* Amthor, J.S.

Naß, N., Moka, R., and Jaenicke, L.
Adenylyl cyclase from the green alga *Volvox carteri* f. *nagariensis:* partial purification and characterisation 613

Naidu, K.M. *See* Kumar, S.

Netting, A.G., and Milborrow, B.V.
Endogenous biosynthetic precursors of (+)-abscisic acid. II. Incorporation of isotopes from (±)-[^{2}H]abscisic aldehyde, $^{18}O_2$ and $H_2{}^{18}O$ 345

Netting, A.G. *See also* Willows, R.D.

Nguyen. H.T., Joshi, C.P., Klueva, N., Weng, J., Hendershot, K.L., and Blum, A.

The heat-shock response and expression of heat-shock proteins in wheat under diurnal heat stress and field conditions 857

Nicolas, M.E. *See* Stone. P.J.

Nissen-Wooller, B. *See* Conroy, J.P.

Ochs, G. *See* Fröhlich, V.

Osmond, C.B. *See* Robinson, S.A.

Paquet, L., Rathinasabapathi, B., Saini, H., Zamir, L., Gage, D.A., Huang, Z.-H., and Hanson, A.D.
Accumulation of the compatible solute 3-dimethylsulfoniopropionate in sugarcane and its relatives, but not other gramineous crops 37

Pate, J.S. *See* Armstrong, E.L.

Paul, K. *See* Kane, H.J.

Petropoulou, Y. *See* Grammatikopoulos, G.

Phillips, J.G., and Riha, S.J.
Root growth, water uptake and canopy development in *Eucalyptus viminalis* seedlings 69

Phillips, S.L. *See* Flanagan, L.B.

Plazinski, J., Ridge, R.W., McKay, I.A., and Djordjevic, M.A.
The *nod*DABC genes of *Rhizobium leguminosarum* biovar *trifolii* confer root-hair curling ability to a diverse range of soil bacteria and the ability to induce novel root swellings on beans 311

Poorter, H., and Farquhar, G.D.
Transpiration, intercellular carbon dioxide concentration and carbon-isotope discrimination of 24 wild species differing in relative growth rate 507

Price, G.D. *See* Yu, J.-W.

Prioul, J.-L. *See* Deléens, E.

Rathinasabapathi, B. *See* Paquet, L.

Rawson, H.M. *See* Slafer, G.A.

Reynolds, M.P., Balota, M., Delgado, M.I.B., Amani, I., and Fischer, R.A.
Physiological and morphological traits associated with spring wheat yield under hot, irrigated conditions 717

Ridge, R.W. *See* Plazinski, J.

Riha, S.J. *See* Phillips, J.G.

Robinson, S.A., and Osmond, C.B.
Internal gradients of chlorophyll and carotenoid pigments in relation to photoprotection in thick leaves of plants with Crassulacean acid metabolism 497

Rogers, G. *See* Conroy, J.P.

Rolfe, B.G. *See* Loschke, D.C.

Saini, H. *See* Paquet, L.

Schmidt, C. *See* Cramer, G.R.

Sehtiya, H.L. *See* Kumar, S.

Seneweera, S., Milham, P., and Conroy, J.
Influence of elevated CO_2 and phosphorus nutrition on the growth and yield of a short-duration rice (*Oryza sativa* L. cv. Jarrah) 281

Seneweera, S. *See also* Conroy, J.P.

Setchell, B.A. *See* Evans, J.R.

Shpiler, L. *See* Blum, A.

Siegel, A. *See* Chau, R.

Simon. J.-P., and Hatch, M.D.
Temperature effects on the activation and inactivation of pyruvate, P_i dikinase in two populations of the C_4 weed *Echinochloa crus-galli* (barnyard grass) from sites of contrasting climates 463

Singletary, G.W., Banisadr, R., and Keeling, P.L.
Heat stress during grain filling in maize: effects on carbohydrate storage and metabolism 829

Singletary, G.W. *See also* Keeling, P.L.

Sinmena, B. *See* Blum, A.

Slafer, G.A., and Rawson, H.M.
Sensitivity of wheat phasic development to major environmental factors: a re-examination of some assumptions made by physiologists and modellers 393

Smith, A.M. *See* Denyer, K.

Smith, G.R. *See* Gambley, R.L.

Sommer, K.J., and Lang, A.R.G.
Comparative analysis of two indirect methods of measuring leaf area index as applied to minimal and spur pruned grape vines 197

Spouncer, L. *See* Correll, R.

Stone, P.J., and Nicolas, M.E.
Wheat cultivars vary widely in their responses of grain yield and quality to short periods of post-anthesis heat stress 887

Straubinger, R.M. *See* Chau, R

Sumitomo, M. *See* Kato-Noguchi, H.

Takeuchi, T.S., and Thornber, J.P.
Heat-induced alterations in thylakoid membrane protein composition in barley 759

Tennant, D. *See* Armstrong, E.L.

Thornber, J.P. *See* Takeuchi, T.S.

Tomaska, L.D. *See* Loschke, D.C.

Unkovich, M.J. *See* Armstrong, E.L.

Viil, J. *See* Kane, H.J.

Waines, J.G.
High temperature stress in wild wheats and spring wheats 705

Walsh, K.B. *See* Brown, S.M.

Wardlaw, I.F.
The effect of high temperature on kernel development in wheat: variability related to pre-heading and post-anthesis conditions 731

Wardlaw, I.F., and Willenbrink, J.
Carbohydrate storage and mobilisation by the culm of wheat between heading and grain maturity: the relation to sucrose synthase and sucrose-phosphate synthase 255

Wardlaw, I.F., and Wrigley, C.W.
Introduction: Heat tolerance in temperate cereals: an overview 695

Wasserman, B.P. *See* Keeling , P.L.

Watanabe, N., Evans, J.R., and Chow, W.S.
Changes in the photosynthetic properties of Australian wheat cultivars over the last century 169

Weng, J. *See* Nguyen, H.T.

Whitecross, M.I. *See* He, J.

Wild, A. *See* Fröhlich, V.

Willenbrink, J. *See* Wardlaw, I.F.

Willows, R.D., Netting, A.G., and Milborrow, B.V.
Endogenous biosynthetic precursors of (+)-abscisic acid. I. Incorporation of isotopes from $^{2}H_2O$, $^{18}O_2$ and [5-^{18}O]mevalonic acid 327

Witrzens, B. *See* Chamberlain, D.A.

Wofsy, S.C. *See* Amthor, J.S.

Wrigley, C. *See* Correll, R.

Wrigley, C.W., Blumenthal, C., Gras, P.W., and Barlow, E.W.R.
Temperature variation during grain filling and changes in wheat-grain quality 875

Wrigley, C.W. *See also* Wardlaw, I.F.; Blumenthal, C.

Yu, J.-W., Price, G.D., and Badger, M.R.
Characterisation of CO_2 and HCO_3^- uptake during steady-state photosynthesis in the cyanobacterium *Synechococcus* PCC7942 185

Zamir, L. *See* Paquet, L.